



### 1. APPLICABILITY

These Limiting Conditions apply to materials taken into Building 15 during the Possess and Control period.

### 2. OBJECTIVE

The objective of these Limiting Conditions is to prevent materials from being taken into Building 15 that could physically damage the DHF and/or endanger the personnel working there.

### 3. LIMITING CONDITION

**Administrative controls shall be placed on the entry of all flammable and explosive, materials into Building 15 (REF 1). Such materials shall not be taken into Building 15 without the written permission of the Facility Manager.**

### 4. SURVEILLANCE REQUIREMENTS

4.1 The administrative controls for the compliance of the above Limiting Condition shall be part of the DHF operating procedures.

4.2 The DHF Site Supervisor has the primary responsibility to ensure these requirements are met. Other DHF staff and personnel approved for access to Building 15 shall also ensure these requirements are met and report any deviations to the DHF Site Supervisor.

### 5 ACTIONS

The Facility Supervisor shall report deviations to the Facility Manager and ensure that the offending materials are removed from Building 15 as soon as possible.

### 6. BASIS

It is essential that personnel working inside Building 15 not be exposed to uncontrolled amounts of hazardous materials. In addition it is also important to control the introduction of materials that could add to the fire load within Building 15.

*Informative note: Procedures also restrict the quantities of corrosive and other hazardous materials inside Building 15, although these restrictions are for conventional safety and have no bearing on nuclear or radiological safety.*

### 7. REFERENCES

[1] HIFAR Procedure NHP 9.2.22 - "Control of Hazardous Materials"

[2] HIFAR OLC 4.21, Rev 0, Hazardous Materials, 1997